

## CORRIGENDUM

Equation (10b) should be corrected as follows:

$$\begin{aligned}
 S(q) &= \sum_i N_i f_i^2(q) + \sum_i \sum_{i \neq j} N_i f_i(q) f_j(q) \int_V 4\pi r^2 \rho_{ij} [g_{ij}(r) - 1] \frac{\sin qr}{qr} dr \\
 &= \sum_i N_i f_i^2(q) + \sum_i \sum_{i \neq j} \frac{N_i N_j}{V} f_i(q) f_j(q) \int_V 4\pi r^2 [g_{ij}(r) - 1] \frac{\sin qr}{qr} dr
 \end{aligned} \quad (10b)$$

Equation (11a) should be corrected as follows:

$$\begin{aligned}
 S(r) &= \frac{1}{2\pi^2 r} \int_0^\infty q S(q) \sin(qr) dq \\
 &= \frac{C}{V} \left\{ \sum_i \sum_{i \neq j} N_i N_j \int_0^\infty dr' w_{ij}(r-r') r' [g_{ij}(r') - 1] \right\}
 \end{aligned} \quad (11a)$$

Equation (11b) should be corrected as follows:

$$\begin{aligned}
 w_{ij}(r) &= \int_0^\infty dq f_i(q) f_j(q) \cos(qr) \\
 C &= \frac{2}{\pi r}
 \end{aligned} \quad (11b)$$

T. K. Kim, J. H. Lee, M. Wulff, Q. Kong,  
H. Ihee\*

**Spatiotemporal Kinetics in Solution  
Studied by Time-Resolved X-Ray  
Liquidography (Solution Scattering)**

*ChemPhysChem* **2009**, *10*, 1958–1980

DOI: 10.1002/cphc.200900154